

A CATALOGUE OF THE ACARINA, OR MITES, OF THE UNITED STATES.

BY NATHAN BANKS,

Custodian, Section of Arachnida, U. S. National Museum.

INTRODUCTION.

In 1886 Prof. Herbert Osborn and Prof. L. M. Underwood published, in the Canadian Entomologist, a preliminary list of the species of Acarina of North America. It included 99 species in 28 genera. The species described prior to that time were by various entomologists, and in only one case, that of Professor Garman, had a single author done any considerable work in one genus. During the past twenty years several naturalists have described a large number of new species. Professor Wolcott, Doctor Koenike, and Miss Marshall, in the water-mites; Doctor Haller and Professor Tyrrell, in the bird-mites; Professor Neumann, in the ticks; and myself in various families, are chiefly responsible for this increase. At present there are 450 species, grouped in 133 genera, known from the United States; yet this is probably less than a third of our entire acarid fauna.

So little is known regarding the distribution of the species, most of which have been described from the Eastern States, that I have not given localities. In identifying species one must now compare the specimen with descriptions of all the species, irrespective of locality. The generic synonyms are given in the index. In the arrangement of families I have followed the common usage.

It is hoped that by bringing together these references an interest will be stimulated among others that will result in greater work in the Acarina, one of the most important groups from either the biologic or economic standpoint.

A synopsis of the genera of the mites and a list of the literature down to 1904 will be found in a Treatise on the Acarina or Mites, published in the Proceedings, U. S. National Museum, XXVIII, pages 1-114.

CATALOGUE OF THE ACARINA.

Family EUPODIDÆ.

RHAGIDIA.

Rhagida THORELL, Cefv. Svenska Akad. Förh., XXVIII, 1871, p. 700.

R. cavigola BANKS, Amer. Nat., 1897, p. 382.

R. pallida BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 222.

LINOPODES.

Linopodes KOCH, Crust. Myr. Arach. Deutsch., fasc. 4, 1836.

L. antennæpes BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 221.

L. mammouthia BANKS, Amer. Nat., 1897, p. 383.

EUPODES.

Eupodes KOCH, Crust. Myr. Arach. Deutsch., fasc. 4, 1836.

E. marinus BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 75.

E. variabilis BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 221.

NOTOPHALLUS.

Notophallus CANESTRINI, Prosp. Acarof. Ital., II, 1886, p. 202.

N. dorsalis BANKS, Canad. Entom., 1902, p. 172.

TYDEUS.

Tydeus KOCH, Crust. Myr. Arach. Deutsch., fasc. 4, 1836.

T. gloveri ASHMEAD, Canad. Entom., 1879, p. 159 (*Tyroglypus*).

Family BDELLIDÆ.

BDELLA.

Bdella LATREILLE, Précis Carnet. Ins., 1796, p. 180.

B. borealis KRAMER AND NEUMAN, Acariden wahrend Vega Exped., 1883, p. 525.

B. californica BANKS, Proc. Calif. Acad. Science, (3), III, 1904, p. 366.

B. cardinalis BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 219.

B. frigida BANKS, Insects, etc., Commander Isl., 1899, p. 348.

B. marina PACKARD, First Rept. U. S. Fish Com., 1874, p. 544.—BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 220.

B. oblonga SAY, Journ. Phil. Acad., II, 1821, p. 74.—LE CONTE Edit., II, 1859, p. 19.

B. peregrina BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 219.

B. robusta BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 220.

B. tenella BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 75.

B. villosa KRAMER AND NEUMAN, Acariden wahrend Vega Exped., 1883, p. 525.

CYTA.

Cyta HEYDEN, Isis, 1826, p. 612.

C. americana BANKS, Canad. Entom., 1902, p. 171 (*Ammonia*).

SCIRUS.

Scirus HERMANN, Mém. Apterol., 1804, p. 62.

S. quadripilis BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 220.

EUPALUS.

Eupalus KOCH, Crust. Myr. Arachn. Deutsch., fasc. 4, 1836.

E. echinatus BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 221.

Family CHEYLETIDÆ.

CHEYLETUS.

Cheyletus LATREILLE, Précis Caract. Ins., 1796, p. 179.

C. clavispinus BANKS, Canad. Entom., 1902, p. 172.

C. ferox BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 134.

C. pyriformis BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 135.

C. seminivorus PACKARD, Guide Study Insects, 1869, p. 605.

MYOBIA.

Myobia HEYDEN, Isis, 1826, p. 613.

M. musculi SCHRANK, Enum. Ins. Austr., 1781, p. 301.—MÉGNIN, Journ. de l'Anat. Phys., XIV, 1878, p. 432.

HARPIRHYNCHUS.

Harpirhynchus MÉGNIN, Journ. de l'Anat. Phys., XIV, 1878, p. 429.

H. longipilus BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 135 (*Sarcopterus*).

PSORERGATES.

Psorergates TYRRELL, Proc. Canad. Inst., (3), I, 1883, p. 342.

P. simplex TYRRELL, Proc. Canad. Inst., (3), I, 1883, p. 342.—NEUMANN, Revue Vétérinaire, April, 1893.—CANESTRINI, Prospetto, VI, 1894, p. 809.

musculinus MICHAEL, Journ. Linn. Soc. Zool., XX, 1889, p. 400 (*Goniomerus*).

SYRINGOPHILUS.

Syringophilus HELLER, Die Schmarotzer * * * den Menschen (Leipzig), 1880, p. 186.

S. bipectinatus HELLER, Die Schmarotzer, 1880, p. 186.—BERLESE, Acari Italiani, fasc. XXXVII, No. 9, 1885, p. 10.

villosa HANCOCK, Amer. Nat., 1895, p. 382 (*Picobia*).

Family ERYTHREIDÆ.

ERYTHRAEUS.

Erythraeus LATREILLE, Gen. Crust. Ins., I, 1806, p. 146.

- E. mamillatus** SAY, Journ. Phil. Acad., II, 1821, p. 70.—LECONTE, Edit., II, 1859, p. 16.
E. spinatus BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 210.

ANYSTIS.

Anystis HEYDEN, Isis, 1826, p. 612.

- A. agilis** BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 211 (*Actineda*).

GEKOBIÆ.

Gekobia MEGNIN, Ann. Soc. Entom. France, 1878, p. 188.

- G. texana** BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 134.

Family TETRANYCHIDÆ.

BRYOBIA.

Bryobia KOCH, Crust. Myr. Arachn. Deutsch., fasc. 4, 1836.

- B. pratensis** GARMAN, Fourteenth Report State Entom. of Illinois, 1885, p. 73.—MARLATT, Insect Life, III, 1890, p. 45.
pallida GARMAN, Insect Life, III, 1890, p. 74 (Young).
B. weyerensis PACKARD, Cave Memoir, 1887, p. 42.

TETRANYCHUS.

Tetranychus DUFOUR, Ann. Sci. Nat., XXV, 1832, p. 276.

- T. aceris** SHIMER, Trans. Amer. Ent. Soc., II, 1869, p. 320 (*Acarus*).
T. bicolor BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 218; Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 72.
T. bimaculatus HARVEY, Ann. Rept. Maine Agric. Exp. Station, for 1892 (1893), p. 133.—BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 73.
T. desertorum BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 76.
T. gloveri BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 76.—MORGAN, Bull. no. 48, Louisiana Agric. Exp. Sta., 1897, pp. 130–135.—TITUS, Cir. no. 65, U. S. Dept. Agric., Bur. Entom., 1905, p. 5.
T. gracilipes BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 72.
T. modestus BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 73.
T. mytilaspidis RILEY, Hubbard, Orange Insects, 1885, p. 216.—BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 71.—WOODWORTH, Bull. no. 145, California Agric. Exp. Sta., 1902, pp. 49, 5 figs.
T. sexmaculatus RILEY, Insect Life, II, 1890, p. 225.—BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 75.
T. telarius LINNÆUS, Fauna Suecia, 1761, p. 481.—BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 75.
T. tumidus BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 73.
T. verbesinæ COCKERELL, Nature, 16 Oct., 1902, p. 608.

T. viridis BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 218.

T. vitis BOISDUVAL, Entom. Horticole, 1867, p. 92.

tetricus MAYET and VIALA, Ann. de l'Ecole Nationale d'Agrie. de Montpellier, 1893, pp. 18, 1 pl. (not of Linneus).

TENUIPALPUS.

Tenuipalpus DONNADIEU, Ann. Sci. Linn., Lyon, XXII, 1875, p. 111.

T. californicus BANKS, Journ. N. Y. Entom. Soc., 1904, p. 55.

TETRANYCHOIDES.

Tetranychoides BANKS, Journ. N. Y. Entom. Soc., 1904, p. 54.

T. californica BANKS, Journ. N. Y. Entom. Soc., 1904, p. 54.

STIGMÆUS.

Stigmæus KOCH, Crust., Myr. Arachn. Deutsch., fasc. 4, 1836.

S. floridanus BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agrie., 1900, p. 77.

NEOPHYLLOBIUS.

Neophyllobius BERLESE, Acari danni piante colt., 1886, p. 20.

N. americanus BANKS, Proc. Ent. Soc., Wash., VII, 1906, p. 133.

Family RHYNCHOLOPHIDÆ.

RHYNCHOLOPHUS.

Rhyncholophus DUGÉS, Ann. Sci. Nat., (2), I, 1834, p. 31.

R. angustipes, new name.

gracilipes BANKS, Proc. Calif. Acad. Sci., (3), III, 1904, p. 305 (not of Kramer, 1897).

R. cavernarum PACKARD, Cave Memoir, 1887, p. 42.

R. cinctipes BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 216.

R. elongatus BANKS, Insects, etc., Commander Isl., 1899, p. 348.

R. floridanus BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 74.

R. longipes BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 215.

R. maculatus BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 216.

R. montanus BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 216.

R. parvus BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 216.

R. pilosus BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 217.

R. punctatus BANKS, Proc. Acad. Nat. Sci., Phil., 1904, p. 143.

R. robustus BANKS, Ann. New York Acad. Sci., VIII, 1895, p. 432.

R. roseus BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 215.

R. simplex BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 215.

R. texanus BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 217.

SMARIS.

Smaris LATREILLE, Précis Caract. Ins., 1796, p. 180.

S. australis BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 74.

S. occidentalis BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 214.

Family TROMBIDIIDÆ.

TROMBIDIUM.

Trombidium FABRICIUS, Gen. Insect., 1776, p. 151.

- T. armatum** KRAMER, and NEUMAN, Acariden wahrend Vega Exped., 1883, p. 521.
- T. bulbipes** PACKARD, 3rd Mass. Rept., 1873, p. 26.
- T. gemmosum** BANKS, Proc. Acad. Nat. Sci. Phil., 1901, p. 595.
- T. giganteum** RILEY, First Rept. U. S. Ent. Com., 1878, p. 312.—BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 212.
- T. granulatum** BANKS, Canad. Entom., 1902, p. 171.
- T. magnificum** LE CONTE, Proc. Acad. Nat. Sci. Phil., 1852, p. 145.—BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 213.
- T. marinus** BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 73.
- T. scabrum** SAY, Journ. Phil. Acad., II, 1821, p. 69.—LE CONTE, Edit., II, 1859, p. 16.—BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 212.
- T. sericeum** SAY, Journ. Phil. Acad., II, 1821, p. 70.—LE CONTE, Edit., II, 1859, p. 6.—RILEY, 7th Mo. Rept., 1875, p. 175.—BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 212.

MICROTROMBIDIUM.

Microtrombidium HALLER, J. H. Ver. Würtb., XXXVIII, 1882, p. 322.

- M. granulosa** BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 74 (*Ottonia*).
- M. locustarum** WALSH, Pract. Entom., I, 1866, p. 126.—RILEY, Amer. Nat., XII, 1878, p. 139; First Ann. Rept. U. S. Ent. Com., 1878, p. 306.—BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 213.
- M. muscarum** RILEY, First Rept. U. S. Ent. Com., 1878, p. 306.—BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 213.
- M. trombidioides** BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 74 (*Ottonia*).

Family CÆCULIDÆ.

CÆCULUS.

Cæculus DUFOUR, Ann. Sci. Nat., XXV, 1832, p. 289.

C. americanus BANKS, Proc. Ent. Soc. Wash., IV, 1899, p. 221.

C. clavatus BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 136.

Family HYDRACHNIDÆ.

LIMNOCHARES.

Limnochares LATREILLE, Précis, Caraet. Ins., 1796, p. 181.

- L. aquaticus** LINNÆUS, Faun. Svec., 1761, p. 482.—PIERSIG, Das Tierreich, Lief. 13, 1901, p. 14.
L. extēndens SAY, Jour. Phil. Acad., II, 1821, p. 80.—LE CONTE, Edit., II, 1859, p. 22. [Probably not the European species of same name.]

EYLAIS.

Eylais LATREILLE, Précis, Caraet. Ins., 1796, p. 182.

- E. desecta** KOENIKE, Abh. naturw. Ver. Bremen, XIV, 1897, p. 288.
E. falcata KOENIKE, Abh. naturw. Ver. Bremen, XIV, 1897, p. 288.
E. triangulifera KOENIKE, Abh. naturw. Ver. Bremen, XIV, 1897, p. 289.

THYAS.

Thyas KOCH, Crust. Myr. Arach. Deutsch., 1825, fasc. 5.

- T. pedunculata** KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 192.
T. stolli KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 194.

PANISUS.

Panisus KOENIKE, Zool. Anz., XIX, 1896, p. 356.

- P. cataphraeta** KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 196.

TANAOGNATHUS.

Tanognathus WOLCOTT, Trans. Amer. Mier. Soc., XXI, 1900, p. 193.

- T. spinipes** WOLCOTT, Trans. Amer. Mier. Soc., XXI, 1900, p. 194.

KRENDOWSKIA.

Krendowskia PIERSIG, Zool. Anz., XVIII, 1895, p. 147.

- K. ovata** WOLCOTT, Trans. Amer. Mier. Soc., XXI, 1900, p. 181.

STEGANASPIS.

Steganaspis WOLCOTT, Trans. Amer. Mier. Soc., XXII, 1901, p. 105.

- S. arrenuroides** WOLCOTT, Trans. Amer. Mier. Soc., XXII, 1901, p. 106.

ARRENURUS.

Arrenurus DUGÈS, Ann. Sci. Nat., (2), I, 1834, p. 17.

- A. birgei** MARSHALL, Trans. Wisc. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 158.
A. cardiacus MARSHALL, Trans. Wisc. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 153.
A. caudatus DE GEER, Mém. Hist. Ins., III, 1778, p. 139.—PIERSIG, Das Tierreich, Lief. 13, 1901, p. 87.—MARSHALL, Trans. Wisc. Acad. Sci., Arts, Lett., XIV (Pt. 2), 1904, p. 521.

- A.** conicus PIERSIG, Zool. Anzeiger, XVI, 1893, p. 311; Das Tierreich, Lief. 13, 1901, p. 86.—MARSHALL, Trans. Wise. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 158.
- A.** corniger KOENIKE, Zool. Anzeiger, XVII, 1894, p. 276.—PIERSIG, Das Tierreich, Lief. 13, 1901, p. 84.—MARSHALL, Trans. Wise. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 155.
- A.** cylindratus PIERSIG, Zool. Anzeiger, XIX, 1896, p. 441; Das Tierreich, Lief. 13, 1901, p. 84.—MARSHALL, Trans. Wise. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 156.
- A.** globator MÜLLER, Zool. Dan. Prodr., 1776, p. 188.—PIERSIG, Das Tierreich, Lief. 13, 1901, p. 82.—MARSHALL, Trans. Wise. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 148.
- A.** globator var. megalurus MARSHALL, Trans. Wise. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 150.
- A.** interpositus KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 176.
- A.** krameri KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 182.
- A.** laetus KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 172.
- A.** manubriator MARSHALL, Trans. Wise. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 151.
- A.** morrisoni MARSHALL, Trans. Wise. Acad. Sci., Arts, Lett., XIV (Pt. 2), 1904, p. 523.
- A.** parallelatus MARSHALL, Trans. Wise. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 154.
- A.** securiformis PIERSIG, Zool. Anzeiger, XVII, 1894, p. 377; Das Tierreich, Lief. 13, 1901, p. 83.—MARSHALL, Trans. Wise. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 152.
- A.** setiger KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 178.

ATURUS.

Aturus KRAMER, Arch. f. Naturgesch., XLI, 1875, p. 309.

- A.** mirabilis PIERSIG, Sitzungsb. Ges. Leipzig, XXII–XXIII, 1897, p. 157.
seher KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 186 (not Kramer).

XYSTONOTUS.

Xystonotus WOLCOTT, Trans. Amer. Mier. Soc., XXI, 1900, p. 185.

- X.** asper WOLCOTT, Trans. Amer. Mier. Soc., XXI, 1900, p. 186.

MIDEOPSIS.

Mideopsis NEUMAN, Svenska Akad. Handl., XVII, 1880, p. 67.

- M.** orbicularis MÜLLER, Zool. Dan. Prodr., 1776, p. 190.—KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 191.

LEBERTIA.

Lebertia NEUMAN, Svenska Akad. Handl., XVII, 1880, p. 68.

- L.** tau-insignita LEBERT, Bull. Soc. Vaudoise (2), XVI, 1879, p. 371.—KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 201.

SPERCHON.

Sperchon KRAMER, Arch. f. Naturgesell., 1877, p. 240.

- S. glandulosus**, KOENIKE, Zeitschr. wiss. Zool., XLIII, 1885, p. 270; Abh. naturw. Ver. Bremen, XIII, 1895, p. 202.
S. parmatus KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 202.
S. tenuipalpis KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 204.

LIMNESIA.

Limnesia KOCH, Crust. Myr. Arach. Deutsch., fasc. 2, 1835.

- L. cornuta** WOLCOTT, Trans. Amer. Mier. Soc., XXIV, 1903, p. 143.
L. histrionica HERMANN, Mém. Apterol., 1804, p. 55.—WOLCOTT, Trans. Amer. Mier. Soc., XXIV, 1903, p. 146.
L. koenikei PIERSIG, Zool. Anz., 1894, p. 115; Das Tierreich, XIII, 1901, p. 177.
L. maculata MÜLLER, Zool. Danica prod., 1776, p. 191.—WOLCOTT, Trans. Amer. Mier. Soc., XXIV, 1903, p. 156.
L. paucispina WOLCOTT, Trans. Amer. Mier. Soc., XXIV, 1903, p. 152.
L. undulata MÜLLER, Hydrachna Danica, 1781, p. 80.—KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 206.—WOLCOTT, Trans. Amer. Mier. Soc., XXIV, 1903, p. 149.

LIMNESIOPSIS.

Limnesiopsis PIERSIG, Zoologica, XXII, 1897, p. 204.

- L. anomala** KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 207.

KOENIKEA.

Koenikea WOLCOTT, Trans. Amer. Mier. Soc., XXI, 1900, p. 189.

- K. concava** WOLCOTT, Trans. Amer. Mier. Soc., XXI, 1900, p. 190.

ATRACTIDES.

Atractides KOCH, Crust. Myr. Arach. Deutsch., fasc. 11, 1837.

- A. spinipes** KOCH, Crust. Myr. Arach. Deutsch., fasc. 11, 1837, fig. 16.
oralis KOENIKE, Abh. naturw. Ver. Bremen, VIII, 1883, p. 32; XIII, 1895, p. 211.

HYGROBATES.

Hygrobates KOCH, Crust. Myr. Arach. Deutsch., fasc. 10, 1837.

- H. decaporus** KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 215.
H. exilis KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 213.
H. longipalpis HERMANN, Mém. Apterol., 1804, p. 55.—KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 212.
H. multiporus KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 216.

TYRRELLIA.

Tyrrellia KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 198.

- T. circularis** KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 199.

ATAX.

Atax FABRICIUS, Syst. Antliatorum, 1805, p. 366.

- A. abnormipes WOLCOTT, Zool. Bull., I, 1898, p. 280; Trans. Amer. Micr. Soc., XX, 1899, p. 218.
- A. aculeatus KOENIKE, Zool. Anz., XIII, 1890, p. 140.
- A. aculeatus var. *sayi* PIERSIG, Das Tierreich, XIII, 1901, p. 213.—WOLCOTT, Trans. Amer. Micr. Soc., XX, 1899, p. 210.
- A. adensameri THON, Ann. Hofmus. Wien, XVI, 1902, p. 31.
- A. arcuata WOLCOTT, Zool. Bull., I, 1898, p. 284; Trans. Amer. Micr. Soc., XX, 1899, p. 231.
- A. crassipes MÜLLER, Zool. Dan. Prodr., 1776, p. 189.—WOLCOTT, Trans. Amer. Micr. Soc., XX, 1899, p. 205.
- A. fossulatus KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 221.—WOLCOTT, Trans. Amer. Micr. Soc., XX, 1899, p. 226.
- A. indistinctus WOLCOTT, Zool. Bull., I, 1898, p. 281; Trans. Amer. Micr. Soc., XX, 1899, p. 221.
- A. intermedius KOENIKE, Abh. naturw. Ver. Bremen, VII, 1882, p. 265.
- A. intermedius var. *Wolcotti* PIERSIG, Zool. Anzeiger, XXIII, 1900, p. 211.—WOLCOTT, Trans. Amer. Micr. Soc., XX, 1899, p. 214.
- A. pectinata WOLCOTT, Zool. Bull., I, 1898, p. 280; Trans. Amer. Micr. Soc., XX, 1899, p. 212.
- A. serratus WOLCOTT, Zool. Bull., I, 1898, p. 282; Trans. Amer. Micr. Soc., XX, 1899, p. 223.
- A. stricta WOLCOTT, Zool. Bull., I, 1898, p. 283; Trans. Amer. Micr. Soc., XX, 1899, p. 229.
- A. tumidus WOLCOTT, Zool. Bull., I, 1898, p. 285; Trans. Amer. Micr. Soc., XX, 1899, p. 236.
- A. *ypsilophorus* BONZ, Nova Acta Acad. Leop., VII, 1783, p. 52.
- A. *ypsilophorus* var. *haldemani* PIERSIG, Zool. Anz., XXIII (1900), p. 212.—KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 217.—WOLCOTT, Trans. Amer. Micr. Soc., XX, 1899, p. 233.
 - formosa* DANA and WHELPLEY, Amer. Jour. Sci., XXX, 1836, p. 357.
 - oviformis* HALDEMAN, Zool. Contrib., 1842, p. 1.
 - lactea* HALDEMAN, Zool. Contrib., 1842, p. 1.

UNIONICOLA.

Unionicola HALDEMAN, Zool. Contrib., 1842, p. 1. [Most, if not all, the species are probably synonyms of *Atax ypsilophorus*.]

- U. humerosa HALDEMAN, Zool. Contrib., 1842, p. 2.
- U. lugubris HALDEMAN, Zool. Contrib., 1842, p. 2.
- U. personata HALDEMAN, Zool. Contrib., 1842, p. 2.
- U. proxima HALDEMAN, Zool. Contrib., 1842, p. 2.
- U. reticulata HALDEMAN, Zool. Contrib., 1842, p. 3.
- U. symmetrica HALDEMAN, Zool. Contrib., 1842, p. 2.
- U. unicolor HALDEMAN, Zool. Contrib., 1842, p. 3.

NEUMANIA.

Neumania LEBERT, Bull. Soc. Vandoise (2), XVI, 1879, p. 340.

- N. vernalis MÜLLER, Zool. Dan. Prodr., 1776, p. 189.—KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 218.—PIERSIG, Das Tierreich, XIII, 1901, p. 227.

NAJADICOLA.

Najadicola PIERSIG, Zool. Anz., XX, 1897, p. 60.

N. ingens KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 219.—WOLCOTT, Trans. Amer. Micr. Soc., XX, 1899, p. 238.

FELTRIA.

Feltria KOENIKE, Zool. Anz., XV, 1892, p. 323.

F. minuta KOENIKE, Zool. Anz., p. 323, 1892.—PIERSIG, Das Tierreich, XIII, 1901, p. 231.

PIONA.

Piona KOCH, Ubers. Arachn. Syst., III, 1842, p. 13.

P. constrictus WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 222.

P. coronis WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 208.

P. crassus WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 246.

P. debilis WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 234.

P. exilis WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 210.

P. fuscatus HERMANN, Mem. apterol., 1804, p. 58.—PIERSIG, Das Tierreich, XIII, 1901, p. 256.

P. guatemalensis STOLL, Biol. Cent.-Amer. Arach.-Acarii., 1887, p. 11.—KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 209.

P. inconstans WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 241.

P. medioides WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 229.

P. obturbans PIERSIG, Zool. Anz., XIX, 1896, p. 439.—WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 240.

P. pugilis WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 243.

P. reighardi WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 235.

P. rotundus KRAMER, Arch. f. Naturgesch., 1879, p. 12.—WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 231.

P. setiger WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 243.

P. spinulosus WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 226.

P. triangularis WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 220.

P. turgidus WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 216.

HYDRACHNA.

(Unplaced.)

H. belostomæ RILEY, 1st Rept. U. S. Ent. Com., 1878, p. 312.

H. coccinea HALDEMAN, Proc. Phil. Acad., I, 1842, p. 196.

H. nebulosa HALDEMAN, Proc. Phil. Acad., I, 1842, p. 196.

H. pyriformis DANA AND WHEPLEY, Amer. Journ. Sci., XXX, 1835, p. 358.

H. 5-undata HALDEMAN, Proc. Phil. Acad., I, 1842, p. 184.

H. scabra HALDEMAN, Proc. Phil. Acad., I, 1842, p. 184.

H. triangularis SAY, Journ. Phil. Acad., II, 1821, p. 79.—LE CONTE, Edit., II, 1859, p. 22. [Probably equal *Atax ypsiloniphorus*.]

H. tricolor PACKARD, Amer. Journ. Sci. (3), I, 1871, p. 108.

Family HALACARIDÆ.

THALASSARACHNA.

Thalassarachna PACKARD, Amer. Journ. Sci. (3), 1, 1871, p. 108.*T. verrillii* PACKARD, Amer. Journ. Sci. (3), 1, 1871, p. 107.

Family IXODIDÆ.

ARGAS.

Argas LATREILLE, Précis Caract. Ins., 1796, p. 178.

- A. *miniatus* KOCH, Arch. f. Naturg., X, 1844, p. 219.—SALMON and STILES, 17th Ann. Rept. Bur. Anim. Ind., 1902, p. 402.
americana PACKARD, Rept. U. S. Geol. Survey Montana, Idaho, Wyoming, Utah, 1872, p. 740.—NEUMANN, Mém. Soc. Zool. France, 1896, p. 9.
radiatus RAILLIET, Traité Zool. Méd., 1893, p. 718.
persicus NEUMANN, Arch. Parasit., IX, 1905, p. 240 (not of Fischer).
A. *sanchezi* DUGÈS, La Naturaleza (2), I, 1891, p. 20.—NEUMANN, Mém. Soc. Zool. France, 1896, p. 16; 1901, p. 255.

ORNITHODOROS.

Ornithodoros KOCH, Arch. f. Naturg., X, 1844, p. 219.

- O. *magnini* DUGÈS, La Naturaleza Mexicana, VI, 1885, p. 197.—NEUMANN, Mém. Soc. Zool. France, 1896, p. 42.—SALMON and STILES, 17th Ann. Rept. Bur. Anim. Ind., 1902, p. 408.
spinosum MARX, Proc. Ent. Soc. Washington, III, 1895, p. 199 (*Rhynchosoprum*).
O. *turicata* DUGÈS, La Natur. Mexicana, VI, 1885, p. 196.—NEUMANN, Mém. Soc. Zool. France, 1896, p. 31.
americanus MARX, Proc. Ent. Soc. Washington, 1895, III, p. 199.

IXODES.

Ixodes LATREILLE, Précis Caract. Ins., 1796, p. 179.

- I. *angustus* NEUMANN, Mém. Soc. Zool. France, 1889, p. 136; 1901, p. 284.
I. *arcticus* OSBORN, Fur Seals and Fur Seal Islands of North Pacific Ocean, III, 1899, pp. 553–554.
I. *brunneus* KOCH, Arch. f. Naturg., X, 1844, p. 232; Arachn. Syst., IV, 1847, p. 101; NEUMANN, Arch. Parasit., VIII, 1904, p. 454.
I. *californicus* BANKS, Proc. California Acad. Science (3), III, 1904, p. 369.
I. *cookei* PACKARD, 1st Ann. Rept. Peabody Acad. Science, 1869, p. 67.
cruciarius FITCH, 14th New York Rept., 1871, p. 366.
hexagonus var. *longispinosus* NEUMANN, Mém. Soc. Zool. France, 1901, p. 283.
hexagonus SALMON and STILES, 17th Ann. Rept. Bur. Anim. Ind., 1902, p. 467 (not of Leach).
I. *dentatus* NEUMANN, Mém. Soc. Zool. France, 1899, p. 119.
I. *diversifossus* NEUMANN, Mém. Soc. Zool. France, 1899, p. 136.
I. *frontalis* PANZER, Fauna Ins. Germ., fasc. 59, fig. 23, 1795.—NEUMANN, Mém. Soc. Zool. France, 1899, p. 133.

- I. *fuscus* SAY, Journ. Phil. Acad., II, 1821, p. 79.—LE CONTE, Edit., II, 22, 1859.
[Probably male of *I. scapularis*.]
 I. *inchoatus* NEUMANN, Mém. Soc. Zool. France, 1901, p. 283 (as var. of *hercynicus*). [Doubtfully the same as European.]
 I. *ricinus* LINNAEUS, Syst. Nat., 1758, p. 615.—NEUMANN, Mém. Soc. Zool. France, 1899, p. 112.—SALMON and STILES, 17th Ann. Rept. Bur. Anim. Ind., 1902, p. 463.
 I. *scapularis* SAY, Journ. Phil. Acad., II, 1821, p. 78.—LE CONTE, Edit., II, 1859, p. 21.
affinis NEUMANN, Mém. Soc. Zool. France, 1899, p. 120.
 I. *sculptus* NEUMANN, Arch. Parasit., VIII, 1904, p. 462.
 I. *uriæ* WHITE, Sutherland's Journ. Voy. Baffins Bay, II, App., 1852, p. cex.
[No description.] [Perhaps *Ceratixodes borealis* Kramer and Neuman.]

CERATIXODES.

Ceratixodes NEUMANN, Arch. Parasit., VI, 1902, p. 115.

- C. *borealis* KRAMER AND NEUMAN, Acariden wahrend Vega Exped., 1883, p. 526.
fimbriatus KRAMER AND NEUMAN, Acariden wahrend Vega Exped., 1883, p. 526, male.
hirsutus BIRULA, Bull. Acad. Imp. St. Petersb., 1895, p. 356.
 C. *signatus* BIRULA, Bull. Acad. Imp. St. Petersb., 1895, p. 357.

HÆMAPHYSALIS.

Hamaphysalis KOCH, Arch. f. Naturg., X, 1844, p. 237.

- H. *chordeilis* PACKARD, 1st Ann. Rept. Peabody Acad. Science, 1869, p. 67.
 H. *leporis-palustris* PACKARD, 1st Ann. Rept. Peabody Acad. Science, 1869, p. 67.—NEUMANN, Mém. Soc. Zool. France, 1897, p. 343.
rostralis DUGES, Bull. Soc. Zool. France, 1888, p. 129. (*Goniodes*.)

AMBLYOMMA.

Amblyomma KOCH, Arch. f. Naturg., X, 1844, p. 223.

- A. *americana* LINNAEUS, Syst. Nat., X, 1758, p. 615.—FITCH, 14th N. Y. Rept., 1871, p. 364.—NEUMANN, Mém. Soc. Zool. France, 1899, p. 209.—SALMON and STILES, 17th Ann. Rept. Bur. Anim. Ind., 1902, p. 475.
? orbiculatus SAY, Journ. Phil. Acad., II, 1821, p. 76.
unipuncta PACKARD, 1st Ann. Rept. Peabody Acad. Sci., 1869, p. 66.
 A. *cajennense* FABRICIUS, Entom. syst., IV, 1794, p. 427.—Koch, Übersicht Arachn. syst., IV, 1847, p. 73.—NEUMANN, Mém. Soc. Zool. France, 1899, p. 205.
crenatum SAY, Journ. Phil. Acad., II, 1821, p. 76.—LE CONTE, Edit., II, 1859, p. 20.
mixtum KOCH, Arch. f. Naturg., X, 1844, p. 227.
 A. *maculatum* KOCH, Arch. f. Naturg., X, 1844, p. 227.—NEUMANN, Mém. Soc. Zool. France, 1899, p. 249.
tigrinum KOCH, Arch. f. Naturg., X, 1844, p. 227.
teuellum KOCH, Arch. f. Naturg., X, 1844, p. 227.
rubripes KOCH, Arch. f. Naturg., X, 1844, p. 228.
oratum KOCH, Arch. f. Naturg., X, 1844, p. 228.
triste KOCH, Arch. f. Naturg., X, 1844, p. 229.
 A. *tuberculatum* MARX, Insect Life, VI, p. 314.—NEUMANN, Mém. Soc. Zool. France, 1899, p. 235.

DERMACENTOR.

Dermacentor KOCH, Arch. f. Naturges., X, 1844, p. 235.

- D. *albipictus* PACKARD, Amer. Nat., II, 1868, p. 559 (no description); Guide Study Ins., 9th part, p. 662, 1869 (Aug.); Amer. Nat., III, 1869, p. 365-6.
variegatus NEUMANN, Mém. Soc. Zool. France, 1897, p. 367.—SALMON and STILES, 17th Ann. Rept. Bur. Anim. Ind., 1902, p. 452.
reticulatus SALMON and STILES, 17th Ann. Rept. Bur. Anim. Ind., 1902, p. 448 (not of Fabricius).
- D. *bifurcatus* NEUMANN, Mém. Soc. Zool. France, 1899, p. 122; Archiv. Parasitol., VIII, 1904, p. 453.
- D. *nigrolineatus* PACKARD, 1st Ann. Rept. Peabody Acad. Science, 1869, p. 66.
- D. *nitens* NEUMANN, Mém. Soc. Zool. France, 1897, p. 376.—SALMON and STILES, 17th Ann. Rept. Bur. Anim. Ind., 1902, p. 455.
- D. *occidentalis* NEUMANN, Archiv. Parasitol., IX, 1905, p. 235.
reticulatus NEUMANN, Mém. Soc. Zool. France, 1897, p. 360, part.
- D. *parumapertus* NEUMANN, Mém. Soc. Zool. France, 1901, p. 267; Archiv. Parasitol., IX, 1905, p. 236.
- D. *variabilis* SAY, Journ. Phil. Acad., II, 1821, p. 77.—LE CONTE, Edit., II, 1859, p. 21.
americanus AUTHORS (not Linnaeus).
electus KOCH, Arch. f. Naturges., X, 1844, p. 235.—SALMON and STILES, 17th Ann. Rept. Bur. Anim. Ind., 1902, p. 455.
albipictus PACKARD, 1st Rept. Peabody Acad. Sci., 1869, p. 66 (not of Guide and Amer. Nat.).
5-striatus FITCH, 14th New York Rept., 1871, p. 366.
robertsoni FITCH, 14th New York Rept., 1871, p. 366.
? punctulatus SAY, Journ. Phil. Acad., II, 1821, p. 78.—LE CONTE, Edit. p. 21, 1859.

MARGAROPUS.

Margaropus KARSCH, Mitt. Münch. Ent. Ver., 1879, p. 96.

- M. *annulatus* SAY, Journ. Phil. Acad., II, 1821, p. 75.—LE CONTE, Edit., II, 1859, p. 19.—NEUMANN, Mém. Soc. Zool. France, 1897, p. 407.—SALMON and STILES, 17th Ann. Rept. Bur. Anim. Industry, 1902, p. 420.
boris PACKARD, 1st Rept. Peabody Acad. Sci., 1869, p. 68.
boris RILEY, Gamgee's Rept. Diseases Cattle, 1869, p. 168.
indentatus GAMGEE, Gamgee's Rept. Diseases Cattle, 1869, p. 121.
dugesii MÉGNIN, Les Parasites, 1880, p. 126.

IXODES.

(Unplaced.)

- I. *cinctus* FABRICIUS, Syst. Antiliatorum, 1805, p. 356.
I. *erraticus* SAY, Journ. Phil. Acad., 1821, p. 77.—LE CONTE, Edit., II, 1859, p. 20.
[Probably a *Dermacentor*.]

Family GAMASIDÆ.

HALARACHNE.

Halarachne ALLMAN, Ann. Mag. Nat. Hist., XX, 1847, p. 47.

H. americana BANKS, Proc. Ent. Soc. Wash., IV, 1899, p. 213.

PTEROPTUS.

Pteroptus DUFOUR, Ann. Sci. Nat., XXVI, 1832, p. 98.

P. americanus BANKS, Canad. Entom., 1902, p. 173.

DERMANYSSUS.

Dermanyssus DUGES, Ann. Sci. Nat. (Zool.), I, 1834, p. 18.

D. gallinæ REDI, Esper. Int. Insetti., 1668, pl. II.—MÉGNIN, Parasit., 1880, p. 115.—OSBORN, Bull. 33 Iowa Agric. Exp. Sta., 1896, p. 595.

LIPONYSSUS.

Liponyssus KOLENATI, Sitzungsber. Kais. Akad. Wissenschaft. Wien, Math.-naturw. cl., XXXV, 1859, p. 172.

L. americanus BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 136.

HÆMOGAMASUS.

Hæmogamasus BERLESE, Acari Myr. Scorp., fasc. 52, 1889.

H. americanus BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 137.

RAILLIETIA.

Raillietia TROUESSART, C. R. Soc. Biol., LIV, 1902, p. 1337; Bull. Soc. Zool. France, XXVII, 1902, p. 232.

R. auris LEIDY, Proc. Phil. Acad., 1872, p. 138.—TROUESSART, C. R. Soc. Biol., LIV, 1902, p. 1337; Bull. Soc. Zool. France, XXVII, 1902, p. 233.

CELÆNOPSIS.

Celænopsis BERLESE, Acari Myr. Scorp., fasc. 31, 1886.

C. americanus BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 137.

SEIUS.

Seius KOCH, Crust. Myr. Arachn. Deutsch., fasc. 4, 1836.

S. sanborni PACKARD, Cave Memoir, 1887, p. 42.

S. quadripilis BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 138.

LÆLAPS.

Larlaps KOCH, Crust. Myr. Arachn., fasc. 4, 1836.

- L. cavernicola PACKARD, Cave Memoir, 1887, p. 42.
- L. cuneifer var. americanus BERLESE, Redia, I, 1904, p. 418.
- L. macropilis BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 139.
- L. pilosula BANKS, Proc. Calif. Acad. Science, (3), III, 1904, p. 368.
- L. placidus BANKS, Journ. N. Y. Ent. Soc., 1895, p. 128.
- L. similis MONIEZ, Rev. Biol. Nord France, VI, 1894, p. 20.
- L. wyandottensis PACKARD, Cave Memoir, 1887, p. 42.

ECHINOMEgistUS.

Echinomegistus BERLESE, Redia, I, 1904, p. 266.

- E. wheeleri WASMANN, Zool. Anzeiger, 1902, p. 72 (*Autemorphorus*).—BERLESE, Redia, I, 1904, p. 398.

GAMASUS.

Gamasus LATREILLE, Hist. nat. Crust. Ins., III, 1802, p. 64.

- G. antennæpes SAY, Journ. Phil. Acad., II, 1821, p. 71.—LE CONTE, Edit., II, 1859, p. 17.
- G. californicus BANKS, Proc. Calif. Acad. Science (3), III, 1904, p. 368.
- G. juloides SAY, Journ. Phil. Acad., II, 1821, p. 72.—LE CONTE, Edit., II, 1859, p. 18.
- G. longipalpoides FELT, 11th Rept. State Entom. N. Y., 1896, p. 259. [Name not to be applied unless mite is new.]
- G. musculus SAY, Journ. Phil. Acad., II, 1821, p. 72.—LE CONTE, Edit., II, 1859, p. 17.
- G. nidularius SAY, Journ. Phil. Acad., II, 1821, p. 72.—LE CONTE, Edit., II, 1859, p. 17.
- G. passali GUÉRIN, Iconog. Règne Anim., IV, Arachn., 1843, p. 45.
- G. spinipes SAY, Journ. Phil. Acad., II, 1821, p. 71.—LE CONTE, Edit., II, 1859, p. 17.
- G. stygius PACKARD, Cave Memoir, 1887, p. 42.
- G. troglodytes PACKARD, Cave Memoir, 1887, p. 42.

MACROCHELES.

Macrocheles LATREILLE, Règne Anim. (nouv. ed. rev. et aug.), IV, 1829, p. 282.

- M. arcticus KRAMER add NEUMAN, Acariden während Vega Exped., 1883, p. 522.
- M. carolinensis BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 137.
- M. exilis BANKS, Proc. Wash. Acad. Sciences, II, 1900, p. 485.
- M. moestus BANKS, Canad. Entom., 1898, p. 265.

MEGISTHANUS.

Megisthanus THORELL, Ann. Mus. Genov., XVIII, 1882, p. 41.

- M. floridanus BANKS, Proc. Acad. Nat. Sci. Phil., 1904, p. 145.

LIROASPI.

Liroaspis BANKS, Canad. Entom., 1902, p. 174.

L. americana BANKS, Canad. Entom., 1902, p. 174.

UROPODA.

Uropoda LATREILLE, Gen. Crust. Ins., I, 1806, p. 157.

- U. americana** RILEY, Proc. Am. Assoc. Adv. Sci., XXV, 1877, p. 273; 9th Mo. Rept., 1877, p. 41.
U. campomolendina var. *canadensis* BERLESE, Redia, II, 1905, p. 22.
U. formica FITCH, Trans. N. Y. State Agric. Soc. for 1854, p. 857, (1855). 1st Rept., p. 153.
U. lucifugus PACKARD, Cave Memoir, 1887, p. 42.
U. pennsylvanica BERLESE, Redia, I, 1904, p. 251; p. 347 (*Uroplitella*).
U. punctulata BANKS, Canad. Entom., 1898, p. 266.

TRACHYTES.

Trachytes MICHAEL, Trans. Roy. Mier. Soc., 1894, p. 297.

T. lagenæformis BERLESE, Redia, II, 1905, p. 21.

CILLIBA.

Cilliba HEYDEN, Isis, 1826, p. 612.

- C. circularis** BANKS, Canad. Entom., 1898, p. 266 (*Discopoma*).
C. hirsuta BANKS, Proc. U. S. Nat. Mus., XXV, 1902, p. 221 (*Discopoma*).
C. hirticoma BERLESE, Redia, I, 1904, pp. 246, 331.

DINYCHUS.

Dinychus KRAMER, Arch. f. Naturg., LII, 1886, p. 255.

D. americanus BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 139.

Family ORIBATIDÆ.

GALUMNA.

Galumna HEYDEN, Isis, 1826, p. 612. [*Oribata* of authors, not of Latreille.]

- G. affinis** BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 6.
G. alata PACKARD, Cave Memoir, 1887, p. 42. [Name preoccupied; but it may be a synonym of some other species.]
G. arborea BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 7.
G. armipes BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 492.
G. depressa BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 6.
G. emarginata BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 7.
G. hirsuta BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 7.
G. imperfecta BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 492.
G. magna BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 6.
G. minuscula BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 492.
G. mœsta BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 6.

- G. nitidula* BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 491.
G. palustris BANKS, Journ. N. Y. Ent. Soc., 1895, p. 128.
G. persimilis BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 491.
G. pratensis BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 6.
G. robusta BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 7.
G. slossonæ BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 490.
G. texana BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 494.
G. turgida BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 493.
G. unimaculata BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 490.
G. virginica BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 493.

ORIBATELLA.

Oribatella BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 8.

- O. aquatica* BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 9.
O. armata BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 9.
O. bidentata BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 8.
O. borealis BANKS, Insects, etc., Commander Isl., 1899, p. 349.
O. minuta BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 76.
O. obesa BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 9.
O. perfecta BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 75.
O. 4-dentata BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 8.
O. setosa BANKS, Journ. N. Y. Ent. Soc., 1895, p. 129.
O. signata BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 9.

ORIBATODES.

Oribatodes BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 10.

- O. mirabilis* BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 10.

GYMNOBATES.

Gymnobates BANKS, Canad. Entom., 1902, p. 175.

- G. glaber* BANKS, Canad. Entom., 1902, p. 176.

ORIBATULA.

Oribatula BERLESE, Acari, Myriop. Scorp. Ital., Crypt., II, 1896, p. 54.

- O. pallida* BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 494.

EREMÆUS.

Eremæus KOCH, Crust. Myr. Arach. Deutsch., fasc. 3, 1835.

- E. arctica* BANKS, Insects, etc., Commander Isl., 1899, p. 349.
E. floridanus BANKS, Proc. Acad. Nat. Sci. Philad., 1904, p. 145.
E. pilosus BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 11.

LIACARUS.

Liacarus MICHAEL, Das Tierreich, III, 1898, p. 40.

- L. abdominalis BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 495.
- L. carolinensis BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 494.
- L. concolor BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 11.
- L. frontalis BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 495.
- L. modestus BANKS, Proc. California Acad. Science (3), III, 1904, p. 367.
- L. nitidus BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 10.

TEGEOCRANUS.

Tegocranus NICOLET, Arch. Mus., Paris, VII, 1855, p. 464.

- T. lamellatus BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 497.

OPPIA.

Oppia KOCH, Übers. Arachn. Syst., III, 1842, p. 104.

- O. canadensis BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 497.
- O. montana BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 497.
- O. spinipes BANKS, Proc. Acad. Nat. Sci. Philad., 1906, 496.

NOTASPIS.

Notaspis HERMANN, Mém. Apterol., 1804, p. 87.

- N. carbonarius BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 496.
- N. castaneus BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 496.
- N. punctulatus BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 10.

ORIBATA.

Oribata LATREILLE, Hist. Nat. Crust. Ins., III, 1802, p. 65.

- O. angustipes BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 136.
- O. australis BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 12.
- O. bulbipedata PACKARD, Cave Memoir, 1887, p. 42.
- O. californica BANKS, Proc. California Acad. Science (3), 1904, p. 367.
- O. floridana BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 76.
- O. longiseta BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 498.
- O. minuta BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 12.
- O. puritanica BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 498.

CARABODES.

Carabodes KOCH, Crust. Myr. Arach. Deutsch., fasc. 3, 1825.

- C. apicalis BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 13.
- C. brevis BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 77.
- C. dorsalis BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 77.
- C. granulatus BANKS, Journ. N. Y. Ent. Soc., 1895, p. 129.
- C. nigra BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 12.
- C. oblonga BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 13.

CYMBÆREMÆUS.

Cymbaremaus BERLESE, Acari, Myr., Scorp., Ital., 1896, fasc. 78.

C. marginalis BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 76 (*Eremaeus*).

HERMANNIA.

Hermannia NICOLET, Arch. Mus. Paris, VII, 1855, p. 468.

H. quadriseriata BANKS, Insects, etc., Commander Isl., 1899, p. 349.

H. trinebulosa RILEY, Hubbard, Orange Insects, 1885, p. 216.

NEOLIODES.

Neoliodes BERLESE, Bull. Soc. Ent. Ital., XX, 1888, p. 47.

N. concentrica SAY, Journ. Phil. Acad., II, 1821, p. 73.—LE CONTE, Edit., II, 1859, p. 18.—BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 15 (*Liodes*).

N. floridensis BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 499.

NOTHRUS.

Nothrus KOCH, Crust. Myr. Arach. Deutsch., fasc. 2, 1835.

N. banksi MICHAEL, Das Tierreich, Lief. 3, Oribat., 1898, p. 70.

furcatus BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 15 (not Koch).

N. bipilus BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 14.

N. excisus BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 15.

N. rugulosus BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 15.

N. simplex BANKS, Journ. New York Ent. Soc., 1895, p. 130.

N. taurinus BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 499.

N. truncatus BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 14.

SCUTOVERTEX.

Scutovortex MICHAEL, Journ. Roy. Mier. Soc., II, 1879, p. 241.

S. marinus BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 77 (*Nothrus*).

S. petrophagus BANKS, Entom. News, 1906, p. 194.

HOPLODERMA.

Hoploderma MICHAEL, Das Tierreich, III, 1898, p. 77.

H. granulata BANKS, Canad. Entom., 1902, p. 175.

H. setosa BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 16 (*Hoplophora*).

H. sphærula BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 16 (*Hoplophora*).

PHTHIRACARUS.

Pthiracarus PERTY, Allg. Naturg., III, 1841, p. 874.

P. arctata RILEY, 6th Mo. Rept., 1874, p. 53 (*Hoplophora*).—BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 16 (*Tritia*).

P. cryptopus BANKS, Proc. California Acad. Science (3), III, 1904, p. 367.

P. glabrata SAY, Journ. Phil. Acad., II, 1821, p. 73.—LE CONTE, Edit., II, 1859, p. 18.—BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 16 (*Tritia*).

ORIBATIDÆ.

(Unplaced.)

- O. aspidioti** ASHMEAD, Can. Entom., 1879, p. 93 (*Oribata*).
N. malleolus KARTELLES, Berl. Ent. Zeitschr., 1884, p. 34 (*Nothrus*).
N. ovivorus PACKARD, Guide Study Insects, 1869, p. 664 (*Nothrus*).
N. pileiformis KARTELLES, Berl. Ent. Zeitschr., 1884, p. 33 (*Nothrus*).
O. quadripilis FITCH, 3rd N. Y. Rept., 1856, p. 442 (*Oribata*).

Family TARSONEMIDÆ.

SITEROPTES.

Siteroptes AMERLING, Lotos, 1861, p. 24.

- S. carnea** BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 140.

TARSONEMUS.

- Tarsonemus* CANESTRINI and FANZAGO, Atti. Soc. Ven.-Trentino, V, 1876, p. 141.
T. pallidus BANKS, Proc. Ent. Soc. Wash., IV, 1899, p. 295.

PEDICULOIDES.

Pediculoides TARGIONI-TOZZETTI, Ann. d. Agricolt., I, 1878, p. 271.

- P. ventricosus** NEWPORT, Trans. Linn. Soc., London, XXI, 1853, p. 95.—BRUCKER, Bull. Sci. France, Belgique, XXXV, 1900, pp. 355-442, 4 pls.

PIGMEOPHORUS.

Pigmeophorus KRAMER, Arch. f. Naturg., XLIII, 1877, p. 254.

- P. americanus** BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 139.

DISPARIPES.

Disparipes MICHAEL, Trans. Linn. Soc. XVII, 1885, p. 390.

- D. americanus** BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 139.

Family TYROGLYPHIDÆ.

HISTIOSTOMA.

Histiostoma KRAMER, Arch. f. Naturg., XLII, 1876, p. 105.

- H. americanum** BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 11.
H. brevipes BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 11.
H. gracilipes BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 10.

GLYCIPHAGUS.

Glyciphagus HERING, Nova Acta Acad. Leop. (2), XVIII, 1838, p. 619.

- G. obesus** BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 12.
G. robustus BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 13.

TYROGLYPHUS.

Tyroglyphus LATREILLE, Précis Caract. Ins., 1796, p. 185.

- T. americanus** BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 16.
T. armipes BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 18.
T. breviceps BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 17.
T. coccophilus BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 16.
T. farinæ DE GEER, Mém. Hist. Ins., VII, 1778, p. 97; Das Tierreich, Lief. 7, 1899, p. 137.—BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 14.
T. lintneri OSBORN, Science, 1893, p. 360.—LINTNER, 10th N. Y. Rept., 1895, p. 452.—BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 15.
T. heteromorphus FELT, 11th New York Rept., 1896, p. 254.—BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 18.
T. longior GERVAIS, Insectes Aptères, III, 1844, p. 262.—BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 14.
T. ribis FITCH, 3rd New York Rept., 1856, p. 424. [Possibly a *Rhizoglyphus*.]
T. terminalis BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 17.

RHIZOGLYPHUS.

Rhizoglyphus CLAPARÈDE, Zeits. wiss. Zool., XVIII, 1869, p. 506.

- R. elongatus** BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 22.
R. hyacinthi BOISDUVAL, Entom. horticole, 1867, p. 86.—BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 21.
echinopus FUMOUZE and ROBIN, Journ. Anat. Physiol. V, 1868, p. 278.
R. longitarsis BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 22.
R. phylloxeræ RILEY, 6th Missouri Rept., 1874, p. 52.—BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 20.
R. rhizophagus BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 21.
R. tarsalis BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 20.

MONIEZIELLA.

Monieziella BERLESE. Acari. Myriop. Scorp. Ital., Cryptostigmata, Sarcoptidae, 1897, p. 106.

M. angusta BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 23.

M. brevitarsis BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 24.

M. longipes BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 23.

CARPOGLYPHUS.

Carpoglyphus ROBIN, Bull. Soc. Imp. Nat. Moscou, XXXIII, 1860, p. 16.

C. passularum HERING, N. Acta Acad. Leop., XVIII, 1838, p. 618.—MÉGNIN, Parasit., 1880, p. 141.—BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 25.

anonymus HALLER, Jahresb. Ver. Württemb., XXXVIII, 1882, p. 297.

TRICHOTARSUS.

Trichotarsus CANESTRINI, Prosp. Acarof. Ital., III, 1888, p. 356.

T. osmiae DUFOUR, Ann. Sci. Nat. (2), XI, 1839, p. 276.—BANKS, Canad. Entom., 1902, p. 176; Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 26.

T. xylocopae DONNADIEU, Ann. Sci. Nat. (5), X, 1868, p. 70.—OSBORN, Amer. Nat., 1894, p. 1021.—BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 25.

Family CANESTRINIIDÆ.

HEMISARCOPTES.

Hemisarcoptes LIGNIÈRES, Mém. Soc. Zool. France, 1893, p. 17.

H. malus SHIMER, Trans. Amer. Ent. Soc., I, 1868, p. 368 (*Acarus*).
coccisugus LIGNIÈRES, Mém. Soc. Zool. France, 1893, p. 17.

Family ANALGESIDÆ.

PTEROLICHUS.

Pterolichus ROBIN, C. R. Acad. Sci., Paris, LXVI, 1868, p. 786.

P. aquilinus TROUESSART, Journ. Microgr., VIII, 1884, p. 573.

P. buchholzi CANESTRINI, Atti. Inst. Veneto, (5), V, 1878, p. 64.

P. longiventer MÉGNIN and TROUESSART, Journ. Microgr., VIII, 1884, p. 261.

FREYANA.

Freyana HALLER, Zeits. wiss. Zool., XXX, 1877, p. 81.

F. anserina TROUESSART and MÉGNIN, Bull. Soc. Angers, XIV, 1884, p. 40.

F. caput-medusæ TROUESSART, Bull. Soc. Angers, XVI, 1886, p. 100 (*Micha-lichus*).

ALLANALGES.

Allanalges TROUESSART, Bull. Soc. Angers, XVI, 1886, p. 137.

A. gracilepinnata HALLER, Arch. f. Naturg., 1882, p. 72.

PROCTOPHYLLODES.

Proctophyllodes ROBIN, C. R. Acad. Sci., Paris, LXVI, 1868, p. 786.

P. reticulifer TROUESSART and NEUMANN, Bull. sci. France Belgique, XIX, 1888, p. 371.—CANESTRINI, Das Tierreich, Lief. 7, 1899, p. 119.

MEGNINIA.

Meginia BERLESE, Acari, Myr. Scorp. Ital., fasc. 4, 1884.

M. albida TYRRELL, Trans. Ottawa Field Nat. Club, no. 3, 1882, p. 46.

M. aculeatus HALLER, Arch. f. Naturg., 1882, p. 55.

M. forcipatus HALLER, Arch. f. Naturg., 1882, p. 66.

M. gladiator HALLER, Arch. f. Naturg., 1882, p. 63.

M. pici-majoris BUCHHOLZ, Bemerk., Dermaleichus, 1869, p. 43.

socialis ROBIN and MÉGNIN, Journ. Anat. Physiol., XIII, 1877, p. 511.

M. tyrelli HALLER, Arch. f. Naturg., 1882, p. 55.

NALGES.

Analges NITZSCHI, Ersch. and Gruber, Ency. Wiss. u. Künste, I, 1818, p. 250.

A. cremidonotus TROUESSART, Bull. Soc. Angers, XXVIII, 1899, p. 29.

A. digitatus HALLER, Arch. f. Naturg., 1882, p. 52.

A. longispinosus TYRRELL, Trans. Ottawa Field Nat. Club, no. 3, 1882, p. 45.

A. passerinus LINNÆUS, Syst. Nat., X, 1758, p. 616.

fringillarum KOCH, Crust. Myr. Arach. Deutsch., fasc. 33, 1848, pl. XII.

A. pici-pubescentis PACKARD, Amer. Nat., III, 1869, p. 493.

A. tridentulatus HALLER, Arch. f. Naturg., 1882, p. 54.

A. tyranni TYRRELL, Trans. Ottawa Field Nat. Club, no. 3, 1882, p. 45.

PTERONYSSUS.

Pteronyssus ROBIN, C. R. Acad. Sci., Paris, LXVI, 1868, p. 786.

P. simplex HALLER, Arch. f. Naturg., 1882, p. 68.

P. speciosus TYRRELL, Trans. Ottawa Field Nat. Club, no. 3, 1882, p. 47.

P. tyrelli CANESTRINI, Das Tierreich, Lief. 7, 1899, p. 79.

fuscus TYRRELL, Trans. Ottawa Field Nat. Club, no. 3, 1882, p. 48
(preoccupied).

FALCULIFER.

Falculifer RAILLIET, Recueil, Méd. Vétér., 1896, p. 6.

F. rostratus BUCHHOLZ, Bemerk., Gatt. Dermaleichus, 1869, p. 14.

falciger MÉGNIN, Journ. Anat. Physiol., XIII, 1877, p. 402 (*Pterolichus*).

Hypodectes and *Hypoderus* spp. GARMAN, Amer. Nat., 1884, p. 430.—

KELLICOTT, Ins. Life, V, 1892, p. 77.—WARD, Psyche, VII, 1894, pp. 95–100; Science, 1902, p. 911. (No. 388).

Family LISTROPHORIDÆ.

SCHIZOCARPUS.

Schizocarpus TROUESSART, C. R. Soc. Biol., Paris, XLVIII, 1896, p. 109.

S. *mingaudi* TROUESSART, Bull. Soc. Ent. France, 1896, pp. 28, 93.

truncatum KRAMER, Zool. Anzeiger, 1896, p. 134 (*Haptosoma*).

Family SARCOPTIDÆ.

CHORIOPTES.

Chorioptes GERVAIS, Gerv. et Van Bened., Zool. Méd., I, 1859, p. 463.

C. *equi* GERLACH, Krätze, 1857, p. 103.

spathiferus MÉGNIN, Parasit., 1880, p. 200.

communis var. *equi* LUGGER, 2nd Ann. Rept. State Entom. Minnesota, 1896, p. 76.

OTODECTES.

Otodectes CANESTRINI, Prosp. Accad. Ital., VI, 1894, p. 726.

O. *cynotis* HERING, N. Acta Acad. Leop., XVIII, 1838, p. 600; Ann. Soc. Ent. France, 1849, p. XXXIV.

auricularum RAILLIET, Zool. Méd., (2), 1893, p. 976 (*Chorioptes*).

ecaudatus MÉGNIN, Parasit., 1880, p. 203 (*Chorioptes*).

NOTOEDRES.

Notoedres RAILLIET, Zool. Med. (2), 1893, p. 660.

N. *cati* HERING, N. Acta Acad. Leop., XVIII, 1838, p. 605.—GERLACH, Krätze, 1857, p. 149.

notoedres var. *cati* MÉGNIN, Parasit., 1880, p. 174.

minor var. *cati* TYRRELL, Proc. Can. Inst., I, 1883, p. 332.

minor LUGGER, 2nd Ann. Rept. Entom. Minnesota Expt. Stat., 1896, p. 61.

CNEMIDOCOPTES.

Cnemidocoptes FÜRSTENBERG, Mt. Ver. Neu Vorpomm. u. Rügen, II, 1870, p. 56.

C. *gallinæ* RAILLIET, Bull. Soc. Zool. France, XII, 1887, p. 132 (variety of *C. burris*).

C. *mutans* ROBIN, Bull. Soc. Moscov., XXXIII, 1860, p. 184.—MÉGNIN., Parasit., 1880, p. 175.

viriparus FÜRSTENBERG, Mt. Ver. Vorpomm., II, 1870, p. 56.—LUGGER, 2nd Ann. Rept. Entom. Minnesota Expt. Stat., 1896, p. 63.

PSOROPTES.

Psoroptes GERVAIS, Ann. Sci. Nat. (2), XV, 1841, p. 9.

P. *bovis* GERLACH, Krätze und Raube, 1857, p. 114.—PETERS, Bull. No. 74, Nebraska Agric. Exp. Station, 1902, pp. 5-10.

P. *ovis* HERING, N. Acta Acad. Leop., XVIII, 1838, p. 594.

longirostris var. *ovis* MÉGNIN, Parasit., 1880, p. 192.

communis var. *oris* CURTICE, Anim. Paras. Sheep, 1890, p. 56.—GILLETTE, Can. Entom., 1899, p. 9.—SPENCER, Bull. 124, Virginia Agric. Exp. Sta., May, 1901, pp. 41–46.—KNOWLES, Journ. Comp. Med. Vet. Archives, Philad., Oct., 1900.

SARCOPTES.

Sarcoptes LATREILLE, Gen. Crust. Ins., I, 1806, p. 151.

- S. canis GERLACH, Kräütze und Raube, 1857, p. 141.
- S. equi GERLACH, Kräutm., 1857, p. 72.—MÉGNIN, Parasit., 1880, p. 164.—LUGGER, 2nd Ann. Rept. Entom. Minnesota Exp. Stat., 1896, p. 59.—SPENCER, Bull. 125, Virginia Agric. Exp. Sta., June, 1901, pp. 49–52, 2 figs.—KNOWLES, Journ. Comp. Med. Vet. Archives, Philad., Oct., 1900.—PETERS, Bull. no. 74, Nebraska Agric. Exp. Station, 1902, pp. 1–27, 7 figs.
- S. ovis MÉGNIN, Parasit., 1880, p. 168.—CURTICE, Anim. Parasit. Sheep, 1890, p. 54.
- S. scabiei DE GEER, Mém. Hist. Ins., VII, 1778, p. 94.—MÉGNIN, Parasit., 1880, p. 169.
hominis HERING, N. Acta Acad. Leop., XVIII, 1838, p. 584.
- S. scabieierustosæ FÜRSTENBERG, Kräutm. Menschen u. Thiere, 1861, p. 212; Insect Life, V, 1893, p. 283.
- S. suis GERLACH, Kräütze und Raube, 1857, p. 137.—MÉGNIN, Parasit., 1880, p. 163.—LUGGER, 2nd Ann. Rept. Entom. Minnesota Exp. Stat., 1896, p. 58.

Family CYTOLEICHIDÆ.

LAMINOSIOPTES.

Laminosioptes MÉGNIN, Paras. et Mal. par., 1880, p. 151.

- L. cysticola VIZIOLI, Giorn. Anat. Fisiol., I, 1870, p. 257.
gallinarum MÉGNIN, Parasit., 1880, p. 152.

CYTOLEICHUS.

Cytotleichus MÉGNIN, Journ. Anat. et Physiol., XV, 1879, p. 150.

- C. nudus VIZIOLI, Giorn. Anat. Fisiol., I, 1870, p. 257.
sarcoptoides MÉGNIN, Parasit., 1880, p. 153.

Family ERIOPHYIDÆ.

ERIOPHYES.

Eriophyes SIEBOLD, Jahressber. Schles. Ges. Kult., XXVIII, 1850, p. 89.

- E. abnormis GARMAN, App. 12th Illinois Rept., 1883, p. 134.
- E. aceris-crumenæ RILEY, Amer. Entom. and Bot., II, 1870, p. 339.
acericola GARMAN, App. 12th Illinois Rept., 1883, p. 135.
- E. ænigma WALSH, Proc. Amer. Entom. Soc., III, 1864, p. 608 (as *Oecidomyia*) ; VI, 1868, p. 227.
- E. brevitarus FOCKE, Rev. biol. Nord. France, III, 1890, p. 3.
- E. caulis COOK, 29th Ann. Rept. Geol. Indiana, 1904, p. 859.
- E. fraxini GARMAN, App. 12th Illinois Rept., 1883, p. 136.
- E. malifoliae PARROTT, Bull. 283, New York Exp. Station, 1907, p. 312.

- E. nyssæ** TROTTER, Marcellia, II, 1903, p. 67.
E. phlœocoptes NALEPA, SB. Akad. Wien, XCIX, Math.-natur. Cl., 1890, p. 54.—GARMAN, Ann. Rept. Kentucky Bur. Agric., 1894, p. 286.—SLINGERLAND, Can. Ent., Dec., 1895, pp. 329–331, 1 pl.
E. populi NALEPA, Sitzungsber. Akad. Wien, XCIX, Math. nat. Cl., 1890, p. 43.
E. pruni-crumenæ WALSH, 1st Ann. Rept. Nox. Insects Illinois, 1868, p. 55.
 (?) *padi* NALEPA, Sitzber. Akad. Wiss. Wien, Math. natur. Cl., XCIX, 1890, p. 55.
E. pyri PAGENSTECHER, Verh. Ver. Heidelberg, I, 1857, p. 48.—GARMAN, App. 12th Illinois Rept., 1883, p. 140.—SLINGERLAND, Insect Life, V, 1892, p. 104; Bull. No. 61, Cornell Agric. Exp. Sta., 1893, pp. 317–328.—PARROTT, Bull. 283, New York Exp. Station, 1907, p. 291.
E. quadripes SHIMER, Trans. Amer. Entom. Soc., II, 1869, p. 319.—GARMAN, App. 12th Illinois Rept., 1883, p. 135.
E. querci GARMAN, App. 12th Illinois Rept., 1883, p. 138.
E. ryderi BANKS, new species.—RYDER, Amer. Nat., XIII, 1879, p. 704, fig.
E. salicicola GARMAN, App. 12th Illinois Rept., 1883, p. 138.
E. semen WALSH, Proc. Amer. Entom. Soc., III, 1864, p. 606 (as *Oecidomyia*) ; VI, 1868, p. 227.
E. serotinæ BEUTENMÜLLER, Bull. Amer. Mus. Nat. Hist., IV, 1892, p. 278.
cerasi-crumenæ WALSH, MSS., 1st Ann. Rept. Nox. Insects Illinois, 1868, p. 55.
E. thujæ GARMAN, App. 12th Illinois Rept., 1883, p. 138.
E. tristriatus NALEPA, Anz. Akad. Wien, XXVI, 1889, p. 162.
E. ulmi GARMAN, App. 12th Illinois Rept., 1883, p. 136.
E. vitis LANDOIS, Zeitsch. wiss. Zool., XIV, 1864, p. 353.—FORBES, 14th Rept. State Entom. Illinois, 1885, p. 84; Ann. Rept. Dept. Agric. (Washington), 1887, p. 391.—BIOLETTI, Bull. no. 136, California Agric. Exp. Station, 1901, 7 pp., 4 figs.

PHYLLOCOPTES.

Phyllocoptes NALEPA, Sitzungsber. Akad. Wiss. Wien, Math.-natur. Cl., XCIX, Pt. 1, 1889, p. 116.

- P. cornutus** BANKS, Proc. Ent. Soc. Washington, VII, 1906, p. 141.
P. oleivorus ASHMEAD, Can. Entom., 1879, p. 160.—HUBBARD, Orange Insects, 1885, p. 107.—MARLATT, Yearbook U. S. Dept. Agric., 1900, p. 285.
P. schlechtendali NALEPA, Sitzungsber. Akad. Wissenschaft. Wien, Math.-natur. Cl., XCIX, 1890, p. 62.—PARROTT, Science, XXIII, 12 Jan., 1906, p. 73; Bull. 283, New York Exp. Station, 1907, p. 314.

EPITRIMERUS.

Epitrimerus NALEPA, Das Tierreich, Lief. 4, Erioph., 1898, p. 61.

- E. piri** NALEPA, Nova Acta Acad. Leop., LXI, 1894, p. 321.—PARROTT, Science, XXIII, 12 Jan., 1906, p. 73; Bull. 283, New York Exp. Station, 1907, p. 313.

CECIDOBIA.

Cecidobia BANKS, Proc. Ent. Soc. Washington, VII, 1906, p. 141.

- C. salicicola** BANKS, Proc. Ent. Soc. Washington, VII, 1906, p. 142.—NALEPA, Marcellia, V, 1906, p. 124.

Family DEMODECIDÆ.

DEMODEX.

Demodex OWEN, Lect. Invert. Anat., 1843, p. 252.

- D. *bovis* STILES, Canad. Entom., 1892, p. 286.
D. *folliculorum* SIMON, Arch. Anat. Physiol. Med., 1842, p. 218 (*Acarus*).—
MÉGNIN, Parasit., 1880, p. 266.
hominis LEYDIG, Arch. Naturg., XXV, 1859, p. 345.
D. *phylloides* CSOKOR, Oesterr. Vierteljahrsschrift f. Veterinärkunde, LI, 1879,
p. 133—WRIGHT, Proc. Can. Inst. (3), I, 1883, p. 275.

Family UNKNOWN.

- concolor* HALDEMANN, Binney, Terr. Air-Breathing Mollusks U. S., II, 1851,
p. 107 (*Hypopus*).
gryllaria LE BARON, 2nd Illinois Rept., 1871, p. 61 (*Atomus*).
odontalgiae FITCH, 14th New York Rept., 1871, p. 371 (*Ixodes*). [Not an *Ixodes*.
Perhaps an Oribated nymph, or possibly something like *Dermacarus* in
Tyroglyphidae; no *Gamasid* will fit.]
americanus RILEY, 6th Missouri Rept., 1874, p. 122 (*Leptus*).
irritans RILEY, 6th Missouri Rept., 1874, p. 122 (*Leptus*).
aranæ SAY, Journ. Phil. Acad., II, 1821, p. 80.—LE CONTE, Edit., II, 1859, p. 23
(*Leptus*).
comata SAY, Journ. Phil. Acad., II, 1821, p. 82.—LE CONTE, Edit., II, 1859, p. 23
(*Ocyptete*).
hispus SAY, Journ. Phil. Acad., II, 1821, p. 81.—LE CONTE, Edit., II, 1859, p. 23
(*Leptus*).

INDEX.

Page.		Page.	
Acarellus=Tyroglyphus	616	Cochleophorus=Neumania.....	604
Actineda=Anystis	598	Curvipes=Piona	605
A'enrobius=Tyroglyphus	616	Cymbæremaens	614
Allomalges	618	Cyta	596
Amblyomma	607	Cytodites=Cytoleichus	620
Ameronothus=Scutovertex	614	Cytoleichus	620
Ammonia=Cyta	596	Damaens=Oribata	613
Analges	618	Dameosoma=Oribata	613
Angelia=Nothrus	614	Demodex	622
Anoetus=Histostoma	615	Dermacentor	608
Antennophorus=Echinomegistus	610	Dermaleichus=Analges	618
Anurania=Arrenurus	601	Dermanyssus	609
Anystis	598	Dermatophagus=Chorioptes	619
Argas	606	Dimorphus=Megnimia	618
Arrenurus	601	Dinychus	611
Ascarus=Tyroglyphus	616	Discopoma=Cilliba	611
Atax	604	Disparipes	615
Atoma=Trombidium	600	Distigmatus=Tetranychus	598
Atractides	603	Echinomegistus	610
Aturus	602	Epitimerus	621
Bdella	596	Eremæus	612
Bellba=Oribata	613	Eriophyes	620
Boophilus=Margaropus	608	Erythracarns=Erythraeus	598
Bradybates=Thyas	601	Erythraeus	598
Brevipalpus=Tennipalpus	599	Eupalns	597
Bryobia	598	Eupodes	596
Cæcllus	600	Eylais	601
Cæpophagus=Rhizoglyphus	616	Falculifer	618
Carabodes	613	Feltria	605
Carpais=Gamasus	610	Freyana	617
Carpoglyphus	617	Galumna	611
Cecidobia	621	Gamasus	610
Cecidoptes=Eriophyes	620	Gekobia	598
Celenopsis	609	Glyciphagus	616
Cellularia=Falculifer	618	Glycyborus=Glyciphagus	616
Cepheus=Tegeocranus	613	Goniomerus=Psorergates	597
Ceratixodes	607	Gymnobates	612
Cheyletus	597	Haemaphysalis	607
Chorioptes	619	Haemogamasus	609
Cilliba	611	Halarachne	609
Claviceps=Galumna	611	Haptosoma=Schizocarpus	619
Cnemidocoptes	619	Harpirhynchus	597

	Page.		Page.
Hemialges=Megninia	618	Neoliodes	614
Hemisarcopites	617	Neophyllobius	599
Hermannia	614	Neumania	604
Heteronychus=Tetranychus	598	Nodipalpus=Histostoma	615
Heteropus=Pediculoides	615	Norneria=Rhagidia	596
Histiogaster=Monieziella	617	Notaspis	613
Histiostoma	615	Nothrus	614
Holostaspis=Macrocheles	610	Notoedres	619
Homopus=Glyciphagus	616	Notophallus	596
Hoploderma	614	Oligonychus=Tetranychus	598
Hoplophora=Hoploderma	614	Oppia	613
Hoplopus=Caeulus	600	Oribata	613
Hydraehna	605	Oribatella	612
Hygrobates	603	Oribatodes	612
Hypoaspis=Laelaps	610	Oribatula	612
Hypodectes=Falculifer	618	Ornithodoros	606
Hypoderas=Falculifer	618	Otodectes	619
Hypopus=Tyroglyphus	616	Ottonia=Microtrombidium	600
Ixodes	606	Oustaletia=Pterolichus	617
Kochia=Notaspis	613	Panisus	601
Koenikea	603	Parasitus=Gamasus	610
Krameria=Pterolichus	617	Pediculoides	615
Krendowskia	601	Petrobia=Bryobia	598
Laelaps	610	Phthiracarus	614
Laminosioptes	620	Phycobius=Carpoglyphus	617
Lebertia	602	Phyllocoptes	621
Leiognathus=Liponyssus	609	Phyllostoma=Histostoma	615
Leiosoma=Liacarus	613	Physogaster=Pediculoides	615
Leptus=Trombidium	600	Phytoptus=Eriophyes	620
Liacarus	613	Picobia=Syringophilus	597
Lias=Pediculoides	615	Pigmeophorus	615
Limnesia	603	Piona	605
Limnesiopsis	603	Porrhostaspis=Gamasus	610
Limnochares	601	Proctophyllodes	618
Linopodes	596	Protolichus=Pterolichus	617
Liodes=Neoliodes	614	Pseudalloptes=Pterolichus	617
Liponyssus	609	Psorergates	597
Liroaspis	611	Psoroptes	619
Macrocheles	610	Pterolichus	617
Margaropus	608	Pteronyssus	618
Megamerus=Eupodes	596	Pteroptus	609
Megapus=Atractides	603	Railletia	609
Megisthanus	610	Rhagidia	596
Megninia	618	Rhipistoma=Haemaphysalis	607
Michaelichus=Freyana	617	Rhizoglyphus	616
Microspalax=Freyana	617	Rhynchosolpbus	599
Microtrombidium	600	Sarcoborus=Harpircynchus	597
Mideopsis	602	Sarcopterus=Harpircynchus	597
Molgus=Bdella	596	Sarcoptes	620
Monieziella	617	Schizocarpus	619
Murcia=Galumna	611	Scirus	597
Myobia	597	Scutacarus=Tyroglyphus	616
Najadieola	605	Scutovertex	614

	Page.		Page.
Seyphius=Rhagidia	596	Tetranychoides	599
Seiulus=Seius	609	Tetranychus	598
Seius	609	Thalassarachna	606
Serrator=Histostoma	615	Thecarthra=Pterolichus	617
Simonea=Demodex	622	Thyas	601
Siteroptes	615	Trachytes	611
Smaris	600	Trichodactylus=Trichotarsus	617
Sperchon	603	Trichotarsus	617
Sphaerogyna=Pediculoides	615	Trimerus=Epitrimerus	621
Spinturnix=Pteroptus	609	Tritia=Phthiracarus	614
Steatozoon=Demodex	622	Trombidium	600
Steganaspis	601	Trouessartia=Allanalges	618
Stigmaeodes=Stigmaeus	599	Tydeus	596
Stilochirus=Lelaps	610	Tyroglyphus	616
Symbiotes=Choriopites	619	Tyrrellia	603
Symplectoptes=Laminosioptes	620	Unionicola=Atax	604
Syringophilus	597	Uroplitella=Uropoda	611
Tanaognathus	601	Uropoda	611
Tarsonemus	615	Xystonotus	602
Tegeocranus	613	Zetes=Galumna	611
Tenuipalpus	599		